CONTENTS - VOLUME XVIII, 1992

No. 1

Inhibition of EGF-induced cytoskeletal change in A431 cells by inhibitors of phosphatidylinositol turnover
JOHTOH N., UMEZAWA K. 1

Cellular electrophysiological effects of platelet-activating factor (PAF) and its antagonist BN 52021 in cardiac preparations
KECSKEMETI V., BRAQUET P. 9

Modifications of "A cells" in the development of experimentally induced pancreatic ductal adenocarcinoma: an ultrastructural and immunohistochemical study
ABAD M.M., PAZ-BOUZA J.I., ARÉVALO M., MUÑOZ E., CARRASCAL E., BULLÓN A. 17

Ibuprofen inhibits adhesion-dependent neutrophil response by a glycoprotein-unrelated mechanism
OTTONELLO L., PASTORINO G., DAPINO P., BERETTA A., DALLEGRI F. 23

Evaluation of the therapeutic efficacy and tolerability of levocarnitine propionyl in the treatment of chronic obstructive arteriopathies of the lower extremities: a multicentre controlled study *vs.* placebo
COTO V., D'ALESSANDRO L., GRATTAROLA G., IMPARATO L., LINGETTI M., MANCINI M., NOLFE G., RENGO F. 29

No. 2

In vitro and *in vivo* antibacterial activities of meropenem, a new carbapenem antibiotic
HARABE E., KAWAI Y., KANAZAWA K., OTSUKI M., NISHINO T. 37

Effects of captopril on the ace-tissular system and on models of experimental ischaemia in isolated rabbit hearts
PATERNA S., DI PASQUALE P., ANTONA A., VALENZA M., LICATA G. 47

Gold salts and somatostatin: a new combined analgesic treatment for psoriatic arthritis
MATUCCI-CERINIC M., PIGNONE A., LOTTI T., PARTSCH G., LIVI R., CAGNONI M. 53

Pilot study of the antipyretic and analgesic activity of nimesulide paediatric suppositories
D'APUZZO V., MONTI T. 63

Effect of propionyl-l-carnitine in the treatment of diabetic angiopathy: controlled double blind trial *versus* placebo
GRECO A.V., MINGRONE G., BIANCHI M., GHIRLANDA G. 69

No. 3

Effects of macrolides on ultrastructure of *Staphylococcus aureus* during postantibiotic phase
WATANABE T., KANNO M., TEJIMA E., ORIKASA Y. 81

Efficacy of tosufloxacin in the treatment of experimentally induced intra-abdominal infections in rats
NORD C.E., EDLUND C. 89

Compared kinetics of 2-(2,3-dihydro-5-acetoxy-4,6,7-trimethylbenzofuranyl) acetic acid (IRFI 016) and its active metabolite 2-(2,3-dihydro-5-hydroxy-4,6,7-trimethylbenzofuranyl) acetic acid (IRFI 005) in plasma and bronchial alveolar liquid in mice
BIANCO T., CENTORE R., GIANNETTI P., SCURI R. 93

Tetracycline inhibition identifies the cellular sources of collagenase in gingival crevicular fluid in different forms of periodontal diseases
SUOMALAINEN K., HALINEN S., INGMAN T., LINDY O., SAARI H., KONTTINEN Y.T., GOLUB L.M., SORSA T. 99

96438

The influence of seaprose on erythromycin penetration into bronchial mucus in bronchopulmonary infections
BRAGA P.C., PIATTI G., GRASSELLI G., CASALI W., BEGHI G., ALLEGRA L. 105

Protective effect of levodropropizine against cough induced by inhalation of nebulized distilled water in patients with obstructive lung disease
BARIFFI F., TRANFA C., VATRELLA A., PONTICIELLO A. 113

Controlled study of oxatomide *vs* disodium chromoglycate for treating adverse reactions to food
PACOR M.L., PEROLI P., FAVARI F., LUNARDI C. 119

No. 4

Effects of macrolide antibiotics on gastrointestinal motility in fasting and digestive states
NAKAYOSHI T., IZUMI M., TATSUTA K. 103

Transfer or β-lactam preparations created in Japan to lung tissue and the drug selection for chemotherapy of respiratory tract infections
IMAIZUMI M., OJIKA T., SAKAKIBARA M., KONDO D., WATANABE H., NISHIMURA M., ABE T. 111

Plasmids as epidemiologic markers in nosocomial gram-negative bacilli: experience in an intensive care unit
MASCELLINO M.T., IONA E., FARINELLI S., IEGRI F., MARANDOLA M., PENNACCHIOTTI M.L., CASCIOLI C., VISCO COMANDINI U., DE LOGU G. 121

Microbiologic profile of ceftibuten, a new oral cephalosporin
DEBBIA E.A., PESCE A., CHIESA M., RICOTTA N., SCHITO G.C. 129

Comparison of norfloxacin and pefloxacin in the prophylaxis of bacterial infection in neutropenic cancer patients
D'ANTONIO D., IACONE A., FIORITONI G., BETTI S., DELL'ISOLA M., QUAGLIETTA A.M., ACCORSI P., PANTALONE V., RECCHIA A., PIERGALLINI A., DI GIROLAMO A., PICCOLOMINI R. .. 141

Acute systemic and splanchnic haemodynamic effects of L-carnitine in patients with cirrhosis
PUGLIESE D., SABBÀ C., ETTORRE G., BERARDI E., ANTONICA G., GODI L., PALASCIANO G., LEE S.S., ALBANO O. 147

Phase I trial of cystemustine, a new cysteamine (2-chloroethyl) nitrosourea: an intrapatient escalation scheme
MATHÉ G., MISSET J.L., TRIANA B.K., GODENÈCHE D., MADELMONT J.C., MEYNIEL G. 155

No. 5

Prevention of some types of inflammatory damage using AA 231–1, a fluorinated *β-lactam*
REBOUD-RAVAUX M., VERGELY I., MAILLARD J., FAVREAU C., KOBAITER R., JOYEAU R., WAKSELMAN M. 159

Deficits in cholinergic neurotransmission markers induced by ethylcholine mustard aziridinium (AF64A) in the rat hippocampus: sensitivity to treatment with the monoamine oxidase-B inhibitor L-deprenyl
RICCI A., MANCINI M., STROCCHI P. BONGRANI S., BRONZETTI E. 163

ACTH fragments reverse experimental haemorrhagic shock in rats
COPPI G., FALCONE A. 173

Recent findings on the regulatory functions of CoA and the normalizing activity on plasma lipids of exogenous CoA
CONTE A., FRATICELLI G., RONCA G. 179

Sulodexide oral administration influences blood viscosity and fibrinolysis
CREPALDI G., ROSSI A., COSCETTI G., ABBRUZZESE E., CALVERI U., CALABRO A. 189

Aztreonam compared to chloramphenicol in the treatment of enteric fevers
GIRGIS N.I., FARID Z., KILPATRICK M.E., PODGORE J.K., SULTAN Y. 197

Clinical evaluation of a new NSAID applied topically (BPAA gel) vs. diclofenac emulgel in elderly osteoarthritic patients
GIACOVAZZO M. 201

No. 6

Low toxic derivatives of istamycin B: synthesis and preliminary evaluation
IKEDA D., GOMI S., HAMADA M., KONDO S., TAKEUCHI T. 205

New hydroxybenanomicins produced by actinomadura
KONDO S., GOMI S., UOTANI K., MIYAKAWA S., INOUYE S., IKEDA D., TAKEUCHI T. 217

The sensitivity of clinical bacteria isolated in Scotland to the oral cephalosporin, cefdinir
PAYNE D.J., AMYES S.G.B. 225

Sub-inhibitory concentrations of brodimoprim inhibit adhesion of *E. Coli* to human uroepithelial cells
BRAGA P.C., PIATTI G., REGGIO S 233

Cefaclor as a prophylactic agent for recurrent urinary infections: a comparative trial with macro-crystalline nitrofurantoin
BRUMFITT W., HAMILTON-MILLER J.M.T., WALKER S., ROBERTS D. 239

Effects of bezafibrate on biosynthesis of cholesterol and on degradation of native and acetylated low-density lipoproteins in incubated human monocytes
COSENTINI R., BLASI F., SOMMARIVA D., TOSI C., FASOLI A. 245

Anti-inflammatory action of AGF_{44}, a ganglioside ester derivative
AMICO-ROXAS M., CARUSO A., CUTULI V.M.C., SCAPAGNINI U., MORANDI A. 251

No. 7

New anti-inflammatory antedrugs: steroid acid esters and amides.
LEE H.J., McLEAN H.M., HEIMAN A.S., KIM H.P. 261

Synthesis and antitumour activities of quinolone antineoplastic agents.
CHU D.T.W., HALLAS R., CLEMENT J.J., ALDER J., MCDONALD E., PLATTNER J.J. 275

Characterization of zidovudine resistant variants of HIV-1 isolated from patients on prolonged therapy.
WAINBERG M.A., TREMBLAY M., ROOKE R., FANNING M., TSOUKAS C., MONTANER J.S.G., O'SHAUGHNESSY M., RUEDY J. 283

In vitro and *in vivo* evaluation of BMY 45243, a new 5-amino-naphthyridone derivative.
BOUZARD D., DI CESARE P., HOFFMANN P., FUNG-TOMC J., KESSLER R. 291

Activity of vancomycin against recently isolated nosocomial Gram-positive cocci.
MACCANTI O, BONADIO M. 295

Penetration of fleroxacin into human lung, muscle, and fat tissue.
CAKMAKCI M., GOSSWEILER L., SCHILLING J., SCHLUMPF R., GEROULANOS S. 299

A comparative study of the antitussive activity of levodropropizine and dropropizine in the citric acid-induced cough model in normal subjects.
FUMAGALLI G., CORDARO C.I., VANASIA M., BALZAROTTI C., CAMUSSO L., CAIAZZO G., MAGHINI L., MAZZOCCHI M., ZENNARO M. 303

No. 8

Susceptibility of recent clinical isolates to temafloxacin (A-63004) and other antimicrobial agents.
QADRI S.M.H., UENO Y., BURNS J.J., ALMODOVAR E., RABEA N. 311

Bactericidal activity and postantibiotic effect of cefdinir (CI 983, FK 482) against selected pathogens.
BLANDINO G., CACCAMO F., DI MARCO R., NICOLETTI A., SPECIALE A., NICOLETTI G. 319

Evaluation of cefixime biliary disposition in the isolated perfused rabbit liver model and in humans.
WESTPHAL J.F., BROGARD J.M., JEHL F., SCHLOEGEL M., BLICKLE J.F., MONTEIL H. 329

Comparison of the effects of midecamycin acetate and clarithromycin on gastrointestinal motility in man.
SIFRIM D., JANSSENS J., VANTRAPPEN G. 337

The action of propionyl-l-carnitine on the vasal endothelium: increased t-PA synthesis and a decrease in the activity of PAI-1. A preliminary study.
POLA P., DE MARTINI D., GERARDINO L., DE ROSSI S., TONDI P. 343

Inhibition of histamine release and pressure increase induced by endothelin (ET-1) in isolated rat kidneys treated with propionyl carnitine.
BERTELLI A., GIOVANNINI L., BERTELLI A.A.E. 349

Controlled study on L-carnitine therapeutic efficacy in post-infarction.
DAVINI P., BIGALLI A., LAMANNA F., BOEM A. 355

No. 9

In-vitro activity of daptomycin against a worldwide collection of methicillin-resistant *Staphylococcus aureus*.
BRUMFITT W., HAMILTON-MILLER J.M.T. 367

Prediction of human pharmacokinetics of panipenem, a new carbapenem antibiotic, from animal data.
NAKASHIMA M., KURIHARA A., HISAOKA M. 371

A comparative study on the convulsant activity of carbapenems and beta-lactams.
SHIMADA J., HORI S., KANEMITSU K., SHOJI Y., NAKASHIO S., YANAGAWA A. 377

Interaction of aminoglycoside antibiotics and lithium at the neuromuscular junctions.
DEHPOUR A.R., SAMADIAN T., ROUSHANZAMIR F. 383

Prevention and control of surgical infections.
BERTELLI A., GERMINIANI R. 389

Metabolic effects of rectal administration of unmodified EEL calcitonin in humans.
NUTI R., MARTINI G., FREDIANI B., GIOVANI S., VALENTI R., MARCOCCI A., CIAPPI A. 395

Captopril and glutathione before thrombolysis in acute myocardial infarction: a pilot study.
DI PASQUALE P., PATERNA S., CANNIZZARO S., ALBANO V., VALDES L., LICATA G., BARONE G. 401

No. 10

Bactericidal activity of imipenem compared to erythromycin against intracellular *Legionella pneumophila*
RAMIREZ J.A., SUMMERSGILL J.T., MILLER R.D., MEYERS T.L., RAFF M.J. 407

Efficacy of L-627, a new carbapenem, in the treatment of experimentally induced intra-abdominal infections in rats
NORD C.E., LAHNBORG G. 411

Efficacy of subinhibitory concentration of pefloxacin in preventing experimental *Staphylococcus aureus* foreign body infection in mice
CARSENTI-ETESSE H., ENTENZA J., DURANT J., PRADIER C., MONDAIN V., BERNARD E., DELLAMONICA P. 415

Experimental chemotherapy of leishmaniasis with adenosine analogue Formycin A., in combination with inhibitor of nucleoside transport, nitrobenzylthioinosinate
OGBUNUDE P.O.J., AL-JASER M.H. 423

The efficacy of clarythromycin (A-56268, TE-031) in the treatment of genital chlamydial infection
CALZOLARI E., CIAMPAGLIA G., STEFFE M., VALLANIA F.M., PAVIA C., DATTILO D. 427

L-carnitine and coenzyme Q_{10} protective action against ischaemia and reperfusion of working rat heart
BERTELLI A., RONCA F., RONCA G., PALMIERI L., ZUCCHI R. 431

Effect of carnitine and coenzyme Q_{10} on the calcium uptake in heart sarcoplasmic reticulum of rats treated with anthracyclines
RONCA-TESTONI S., ZUCCHI R., RONCA F., BERTELLI A. 437

Nos. 11/12

In vitro and *in vivo* antidermatophytic activity of saperconazole, a new fluorinated triazole
FU K.P., ISAACSON D.M., LOCOCO J., FOLENO B., HILLIARD J. 443

Effects of a novel piperazine derivative (CGP 29030A) on nociceptive dorsal horn neurons in the rat
YU XIAN-MIN, HOHEISEL U., MENSE S. 447

Perinatal exposure to ethanol affects postnatal degeneration and regeneration of serotoninergic pathways in the spinal cord
GORIO A., GERMANI E., MANTEGAZZA P., DI GIULIO A.M., BERTELLI A. 461

Influence of sodium valproate and carbamazepine on GSH levels in rat cerebral cortex
ATTAGUILE G., CARUSO A., CUTULI V.M.C., DI GIACOMO C., RUSSO A., DE BERNARDIS E., AMICO-ROXAS M. 465

Etofibrate treatment alters low density lipoprotein susceptibility to lipid peroxidation
WÜLFROTH P., RICHTER C.M., BURKARD M., HUTH K., QUACK G. 469

Protection of isolated perfused working rat heart from oxidative stress by exogenous L-propionyl carnitine
RONCA G., RONCA F., YU G., ZUCCHI R., BERTELLI A. 475

Pharmacological properties and toxicology of MED-15, a prodrug of tolmetin
CARUSO A., CUTULI V.M.C., DE BERNARDIS E., ATTAGUILE G., AMICO-ROXAS M. 481

Effects of ketoprofen (NSAID) on the pharmacokinetics of pefloxacin and ofloxacin in healthy volunteers
FILLASTRE J.P., LEROY A., BORSA-LEBAS F., ETIENNE I., GY C., HUMBERT G. 487

Glutathione (GSH) improved haemostatic and haemorheological parameters in atherosclerotic subjects
COPPOLA L., GRASSIA A., GIUNTA R., VERRAZZO G., CAVA B., TIRELLI A., D'ONOFRIO F. 493

Contents index (1992) 499

Author index (1992) 505